



**OFFICE OF THE
PRINCIPAL CHIEF COMMISSIONER OF INCOME TAX
CENTRAL REVENUE BUILDING, I.P. ESTATE, NEW DELHI**
TELEPHONE/FAX No: 011-23370772/23708357 Email : delhi.dcit.hq.infra@incometax.gov.in

F.No. Pr.CCIT/Infra./Space Allocation/2020-21/ 4090 Dated: 3.11.2020

OFFICE ORDER

Subject: **Allocation of Office Space at C.R Building, New Delhi**

In partial Modification to the earlier orders, the following Office Space at C. R Building are allocated as under:

S.No.	Room No./ C.R. Building	Designation of the Officer	Earlier allotted to
1	325	Chief Commissioner of Income Tax, Delhi-1	Chief Commissioner of Income Tax, Delhi-2
2	353	Chief Commissioner of Income Tax, Delhi-2	Chief Commissioner of Income Tax, Delhi-1
3	317B	DCIT (Hqrs.) o/o CCIT-2, Delhi	Addl CIT ReAC (AU)-8(2)
4	324	P.S to CCIT-1	DCIT/ACIT Hqrs.o/o CCIT-2
5	324	ITO HQ CCIT 1	DCIT/ACIT Hqrs.o/o CCIT-2
6	321	P.S to CCIT-02	ACIT ReAC (TU)-1(1)(2)
7	321	ITO (Hqr) o/o CCIT-2	ACIT ReAC (TU)-1(1)(2)
8	322	P.S to CIT(Admn & TPS)	ITO (hqr) o/o CCIT-4 & DCIT HQ CCIT 2
9	322	ITO (Hqr) o/o CCIT-4	ITO (hqr) o/o CCIT-4 & DCIT HQ CCIT 2
10	363C	P.S to CCIT-03 & Staff of CCIT-01	P.S to CCIT-01 & Staff of CCIT-01
11	367	DD (Systems)-2	DD (Systems)-1
12	165	ITO HQ CCIT 3	PS to CCIT 3
13	339	ITO (Admn & Security)	ITO (Welfare) & ITO Protocol
14	334A	ITO Admn-1 and 2	ITO ReAC (AU) -6(4)(3)

15	334A	ITO Admn-1 and 2	ITO ReAC (AU) -6(4)(4)
16	337B	ITO ReAC (AU) -6(4)(3)	ITO Admn-1 and 2
17	337B	ITO ReAC (AU) -6(4)(4)	ITO Admn-1 and 2
18	339	ITO (Welfare)	ITO (Welfare) & ITO Protocol
19	385A	ITO Infra & ITO New Infra	ITO ReAC (AU) -6(4)(5) & ITO ReAC (AU) -6(4)(5)
20	187	ITO W 25(3)	ITO Re Ac (AU) 6(3)(5) & ITO ReAC (AU) 9(1)(4)
21	187	ITO W 25(1)	ITO Re Ac (AU) 6(3)(5) & ITO ReAC (AU) 9(1)(4)
22	188	ITO ReAC (AU) 9(1)(4)	ITO W 25(1) & ITO W 25(3)
23	188	ITO Re Ac (AU) 6(3)(5)	ITO W 25(1) & ITO W 25(3)
24	331A	ITO (Protocol) & its staff members	Staff of ITO Protocol
25	328	ACIT (Hqrs) Infra	ITO Infra & ITO New Infra
26	379 A	ACIT-HQ, CCIT 3	ACIT (Hqrs) Infra
27	383A	ACIT ReAC(AU) 7(2)(1)	AddICIT ReAC (AU)-6(4)
28	194A	ITO Re Ac (AU) 9(2)(2)	ITO ReAC (AU)-9(2)(2)
29	194A	ITO Re Ac (AU) 9(2)(4)	ITO ReAC (AU)-9(2)(2)
30	379	ITO Re Ac (AU) 9(2)(3)	ITO ReAC (AU) -9(2)(6)
31	379	ITO ReAC (AU) -9(2)(6)	ITO ReAC (AU) -9(2)(6)
32	226	ACIT ReAC (AU) 7(4) (1)	ACIT ReAC (TU)-1(2)(1) & ACIT ReAC (TU)-1(2)(2)
33	237	ACIT ReAC (TU)-1(2)(1)	Addl CIT ReAC (AU)-9(2)
34	237	ACIT ReAC (TU)-1(2)(2)	Addl CIT ReAC (AU)-9(2)
35	211	ACIT ReAC (TU)-1(1)(1)	AddICIT ReAC (AU)-10(4)
36	211	ACIT ReAC (TU)-1(3)(1)	AddICIT ReAC (AU)-10(4)
37	225B	ACIT ReAC (TU)-1(3)(2)	ACIT ReAC (TU)-1(1)(1)
38	217	ITO ReAC (AU)-8(1)(2)	ITO ReAC (AU)-8(1)(2)
39	217	ITO ReAC (AU) -10(1)(4)	ITO ReAC (AU)-8(1)(2)
40	226A	ACIT ReAc (AU) 8(2)(1)	ACIT ReAC (TU)-1(3)(1) & ACIT ReAC (TU)-1(3)(2)
41	374A	ACIT ReAC(AU) 7(1)(1)	ITO ReAC (AU) -7(4)(5) & ITO ReAC (AU) -7(4)(6)
42	191	Addl. CIT Range-25	Addl. CIT ReAc (AU) - 7(2)
43	312	ACIT Re AC(TU) 1(1)(2)	DCIT/ACIT Cir 16(1)
44	419	ACIT Cir 16(1)	ACIT ReAC(AU) 7(1)(1) &

Maya

			ACIT ReAC(AU) 7(2)(1)
45	179	ITO (Judl.) -04 & TRO-04	ITO (Judl.) -04
46	178	ITO Re AC (AU) 8(4)(3)	ACIT ReAC (AU)-8(2)(1)
47	178	ITO ReAc(AU) 8(4) (5)	ACIT ReAC (AU)-8(2)(1)
48	403	ITO ReAc(AU) 6(1) (4)	ACIT ReAC (AU) 7(4) (1)
49	403	ITO ReAC (TU) 1 (2)(3)	ACIT ReAC (AU) 7(4) (1)
50	225 A	ITO W 18(3)	ITO ReAC (AU) -8(4)(4) & ITO ReAC (AU) -8(4)(5)
51	225 A	ITO ReAc (AU) 8(4)(4)	ITO ReAC (AU) -8(4)(4) & ITO ReAC (AU) -8(4)(5)
52	308A	ITO Re Ac (AU) 6(1)(3)	ITO ReAC (AU) -6(1)(3) & ITO ReAC (AU) -6(1)(3)
53	308A	ITO W 15(1)	ITO ReAC (AU) -6(1)(3) & ITO ReAC (AU) -6(1)(3)
54	224	ITO ReAC (TU) - 1(2)(4)	PS to PCIT-7
55	224	PS to PCIT 7	PS to PCIT-7
56	162	Addl CIT ReAC (AU)-7(1)	Addl CIT ReAC (AU)-7(1)
57	162	Addl CIT ReAC (AU)-7(2)	Addl CIT ReAC (AU)-7(1)
58	159A	Addl CIT ReAC (AU)-7(3)	Addl CIT ReAC (AU)-7(3)
59	159A	Addl CIT ReAC (AU)-7(4)	Addl CIT ReAC (AU)-7(3)
60	414	Addl CIT ReAC (AU)-6(4)	Addl CIT ReAC (AU)-6(3)
61	414	Addl CIT ReAC (AU)-6(3)	Addl CIT ReAC (AU)-6(3)
62	405	Addl CIT ReAC (AU)-10(3)	Addl CIT ReAC (AU)-10(3)
63	405	Addl CIT ReAC (AU)-10(4)	Addl CIT ReAC (AU)-10(3)
64	317	Addl CIT ReAC (AU)-8(2)	Addl CIT ReAC (AU)-8(1)
65	317	Addl CIT ReAC (AU)-8(1)	Addl CIT ReAC (AU)-8(1)
66	315	Addl CIT ReAC (AU)-8(4)	Addl CIT ReAC (AU)-8(3)
67	315	Addl CIT ReAC (AU)-8(3)	Addl CIT ReAC (AU)-8(3)
68	216	Addl CIT ReAC (AU)-9(2)	Addl CIT ReAC (AU)-9(1)
69	216	Addl CIT ReAC (AU)-9(1)	Addl CIT ReAC (AU)-9(1)
70	248	Addl CIT ReAC (TU)-1(3)	Addl CIT ReAC (RU)-1(2) & Addl CIT ReAC (RU)-1(3)
71	245	Addl CIT ReAC (RU)-1(1)	Addl CIT ReAC (AU)-10(1) & Addl CIT ReAC (AU)-10(2)
72	245	Addl CIT ReAC (RU)-1(2)	Addl CIT ReAC (AU)-10(1) & Addl CIT ReAC (AU)-10(2)

Handwritten signature


73	193B	Addl CIT ReAC (AU)-10(1)	Addl. CIT Range-25
74	193B	Addl CIT ReAC (AU)-10(2)	Addl. CIT Range-25
75	164	ITO ReAC (AU) -6(4)(6)	ACIT-HQ, CCIT 3 & ITO HQ CCIT -3
76	164	ITO ReAC (AU) -6(4)(5)	ACIT-HQ, CCIT 3 & ITO HQ CCIT -3
77	143	ITO ReAC (AU) -7(3)(4)	ITO Ward 8(1) & ITO Ward 12(1)
78	143	ITO Ward 12(1)	ITO Ward 8(1) & ITO Ward 12(1)
79	413B	ITO ReAC (AU) -7(3)(3)	ITO ReAC (AU) -7(3)(4) & ITO ReAC (AU) -7(3)(3)
80	413B	ITO Ward 8(1)	ITO ReAC (AU) -7(3)(4) & ITO ReAC (AU) -7(3)(3)
81	413E	ACIT ReAC (AU)-7(3)(1)	ITO ReAC (AU) -7(2)(5) & ITO ReAC (AU) -7(2)(6)
82	185A	ACIT ReAC (RU)-1(2)(2)	ACIT ReAC (RU)-1(2)(2)
83	185A	ACIT ReAC (RU)-1(3)(1)	ACIT ReAC (RU)-1(2)(2)
84	249	ITO Ward 22(1)	ITO ReAC (AU) -6(1)(6)
85	249	ITO Ward 22(3)	ITO ReAC (AU) -8(3)(3)
86	225C	ITO ReAC (AU) -6(1)(6)	ITO Ward 22(3)
87	225C	ITO ReAC (AU) -8(3)(3)	ITO Ward 22(1)
88	409A	ITO ReAC (AU)-7(3)(2)	ITO ReAC (AU) -7(3)(5)
89	409A	ITO ReAC (AU) -7(4)(4)	ITO ReAC (AU) -7(3)(6)
90	308A	ITO ReAC (TU) - 1(3)(5)	ITO ReAC (AU) -6(1)(3)
91	308A	ITO ReAC (AU) -6(1)(3)	ITO ReAC (AU) -6(1)(3)
92	413A	ITO ReAC (AU) -7(4)(6)	ITO ReAC (AU)-7(4)(2)
93	413A	ITO ReAC (AU)-7(4)(2)	ITO ReAC (AU)-7(4)(2)
94	406	ITO ReAC (AU) -7(4)(6)	ITO ReAC (AU) -7(4)(3)
95	406	ITO ReAC (AU) -7(4)(3)	ITO ReAC (AU) -7(4)(3)
96	412D	ITO ReAC (AU)-7(2)(2)	ITO ReAC (AU)-7(2)(2)
97	412D	ITO ReAC (AU)-7(2)(5)	ITO ReAC (AU)-7(2)(2)
98	413F	ITO ReAC (AU) -7(2)(4)	ITO ReAC (AU) -7(2)(4)
99	413F	ITO ReAC (AU) -7(2)(6)	ITO ReAC (AU) -7(2)(4)

- Vide Sl. No.06 of earlier order No.3099 dt.30.09.2020, - Room NO.380 B was inadvertently mentioned as allotted to DD(Systems)-2 instead of Room No.367.
- Vide Sl. No. 16 of earlier order No.3099 dt.30.09.2020, the Room No.. 375 should be read instead of Room No.375A.

Handwritten signature

- Vide Sl. No.257,258,259 of earlier order No.3099 dt.30.09.2020 , Room No. 142A should be read instead of Room No.142
- For rest of the rooms the earlier order No.3099 dt.30.09.2020 remains the same.


This issues with the prior approval of the Competent Authority.


(Manu Tentiwal) 02/11/20

**Additional Commissioner of Income Tax
(Hq)(Admn), New Delhi**

Copy To:

1. The Principal Chief Commissioner of Income Tax (NeAC), New Delhi.
2. The Chief Commissioners of Income Tax, 1 to 4 and ReAC-1 to 3, Delhi
3. The Deputy Commissioner of Income Tax (Hqr.) (Admn.)
4. The ITO Welfare/ Security, PRO & Protocol, C.R Bldg. Delhi.
5. The President/General Secretary, ITGOA & ITEF, Delhi


02/11/2020

**(Mayank Prakash)
Assistant Commissioner of Income Tax,
(Hq)(Infra), New Delhi**